




FÖHSE™

FUTURE OF HORTICULTURAL  
SCIENCE + ENGINEERING

# FIXTURE OVERVIEW

## SCORPIO SERIES



FOHSE.COM | 1-888-FOHSE-77 | LAS VEGAS, NEVADA

# SCORPIO

[INDOOR | SINGLE OR MULTI TIER]

BASED ON OUR MOST POPULAR AND POWERFUL  
FIXTURE MODEL.

Designed for unbelievable yields in close-to-canopy, single, or multi-level environments and built with the same secrets behind the most powerful and efficient grow light in the world (our A3i model). One of the most significant problems facing every other LED model

on the market is low output coupled with poor canopy penetration. The Scorpio is the most powerful AND efficient grow light in its class. Swiveling light bars achieve maximum canopy penetration via cross illumination to neighboring plots.



## SCORPIO

1000W

PPE

2.56-2.81  $\mu\text{mol}/\text{J}$

PPF\*

2813  $\mu\text{mol}/\text{s}$

## SCORPIO +

1000W

PPE

3.20  $\mu\text{mol}/\text{J}$

PPF\*

3203  $\mu\text{mol}/\text{s}$

\* Options up to. Subject to change without notice. Tolerance  $\pm 10\%$

# SCORPIO

[INDOOR | SINGLE OR MULTI TIER]

BASED ON OUR MOST POPULAR AND POWERFUL  
FIXTURE MODEL.

Designed for unbelievable yields in close-to-canopy, single, or multi-level environments and built with the same secrets behind the most powerful and efficient grow light in the world (our A3i model). One of the most significant problems facing every other LED model

on the market is low output coupled with poor canopy penetration. The Scorpio is the most powerful AND efficient grow light in its class. Swiveling light bars achieve maximum canopy penetration via cross illumination to neighboring plots.



## SCORPIO

1000W

PPE

2.56-2.81  $\mu\text{mol}/\text{J}$

PPF\*

2813  $\mu\text{mol}/\text{s}$

\* Options up to. Subject to change without notice. Tolerance  $\pm 10\%$

# SCORPIO [1000W]

**PPE**

2.56-2.81  
μmol/J

**PPF\***

2813  
μmol/s

**IP RATING**

IP67






FIXTURE SPECS	PISCES STANDARD & 5FT WIDTH
LED Type	Samsung 301D+San'an 3535 660nm+San'an 730nm
Consumption Wattage at 100% Power	1000
Maximum BTU Output	3410
Input Voltage Options	Low Voltage 120 - 277
	High Voltage 250-480
Max Ambient Air Operating Temp	104°F
Dimensions	46" x 42" x 4"
Weight	59 lbs.

SCAN TO RECEIVE A

## CUSTOM LIGHT PLAN



\* Options up to. Subject to change without notice.  
Tolerance ±10%  
© Copyright 2023\*\* Fohse, Inc.  
\*\*Specs updated quarterly and are subject to change



# SCORPIO+ [1000W]

**PPE**

**3.20**  
μmol/J

**PPF\***


**3203**  
μmol/s

**IP RATING**

**IP65**



FIXTURE SPECS	PISCES STANDARD & 5FT WIDTH
LED Type	Samsung 301D+ San'an 3535 660nm
Consumption Wattage at 100% Power	1000
Maximum BTU Output	3410
Input Voltage Options	Low Voltage 120 - 277
	High Voltage 250-480
Max Ambient Air Operating Temp	104°F
Dimensions	46" x 42" x 4"
Weight	52 lbs.



SCAN TO RECEIVE A

**CUSTOM  
LIGHT PLAN**



\* Options up to. Subject to change without notice.

Tolerance ±10%

© Copyright 2023\*\* Fohse, Inc.

\*\*Specs updated quarterly and are subject to change